




Shandong ClearSight International Trade Co.,Ltd



PRODUCT MANUAL

Manual of Pet Medical and Grooming Supplies



Shandong ClearSight International Trade Co.,Ltd

Shandong ClearSight International Trade Co.,Ltd.is an export enterprise specializing in pet medical and grooming supplies. We integrate R&D, production, and sales, consistently committed to providing global clients with medium- to high-quality pet healthcare products.

Our main products include a wide range of items such as pet operating tables, pet cages, and LED shadowless lamps, catering to various application scenarios. We possess a professional R&D team, focusing on product innovation and technological upgrades to keep pace with industry trends. Additionally, we offer flexible and professional customized solutions tailored to meet specific client requirements.

With years of experience in international trade, we have established a reputation for stable and reliable product quality, exporting to numerous countries and regions. We always adhere to a customer-centric approach and look forward to collaborating with you to contribute to the cause of pet health.



Product Catalog



Shandong ClearSight International Trade Co.,Ltd

01

Stainless Steel Pet Cage

02

Pet Grooming Products

03

Pet Surgical Table

04

Auxiliary Medical Supplies for Pets

05

Pet Bathtub



06

Veterinary Medical Equipment

07

Showcase of Successful Cases

01 Stainless Steel Pet Cage



Stainless steel folding feeding hole dog cage

Smallest size:62*45*60cm Small size:78*52*70cm
 Medium size:94*65*75cm Plus size:110*70*95cm
 Increase the size:125*75*100cm

(Size can be customized)

The material we choose is good quality stainless steel, which has superior toughness and firmness. The raw material itself does not have any harmful substances. It can bear weight of 150kg. There is a movable tray at the bottom of the cage to facilitate the cleaning of stolen goods.



Stainless steel folding cage

Small size:94*60*65cm
 Medium size:110*70*75cm
 Plus size:125*75*75cm

(Size can be customized)

Stainless steel folding cage



Small size:95*60*105cm
 Medium size:112*74*110cm
 Plus size:120*80*115cm

(Size can be customized)

Stainless steel combined pet cage



Size:110*75*187cm

(Size can be customized)



Stainless steel folding pet fence

Size:(Each piece)Width 60*Height 70cm
 Width 70*Height 80cm

(Size can be customized)

Material selection of high-quality stainless steel, with super toughness and robustness, raw materials without harmful substances.



Stainless steel door pet cage

Small size:79*52*80cm Medium size:89*60*76cm
 Plus size:102*76*101cm Increase the size:110*72*103cm

(Size can be customized)



Size:122*70*143cm



Size:230*65*216cm

The cage can be assembled design, the door is equipped with automatic locks, the design is novel and convenient to use. Stainless steel is made with stainless steel foot plate and contamination tray. There is a movable brake wheel below, which is very convenient for movement and fixation.



01 Stainless Steel Pet Cage



Stainless steel cat cage



Size:122*70*158cm

(Size can be customized)



Size:100*65*177cm

(Size can be customized)



Size:122*70*218cm

(Size can be customized)



Size:244*70*218cm

(Size can be customized)

Hospital cage power version



Size:122*70*157cm



Size:122*70*157cm

The whole 304 stainless steel material is anti-corrosion, acid-proof and rust-proof. The bottom moving wheel adopts high-intensity medical universal brake wheel.

Stainless steel pet oxygen cage



Size:61*70*61/141cm

(Size can be customized)

The box body is made of 304 stainless steel. The back is equipped with air outlet. The door is made of transparent plexiglass. The door is equipped with adjustable air exchange holes. The door is equipped with a dry-wet thermometer and an oxygen receiving hole.

Stainless steel glass display cage



Size:95*64*70cm

(Size can be customized)

Material selection of high-quality stainless steel, with super toughness and robustness, can bear 150 kg, cage bottom with a movable tray, easy to clean up.

Integral stainless steel material, anti-corrosion, acid-proof and rust-proof, bottom mobile wheel using high strength polyurethane universal brake wheel.



01 Stainless Steel Pet Cage



New Warm Lamp Power Oxygen Cabin Cage (with temperature control version)



Overall 304 stainless steel material, anti-corrosion, anti-acid rust, cage material thickness 1.2 mm, cage door with diameter 8 mm and diameter 6 mm steel wire composition, pedal grid with diameter 10 mm and diameter 4 mm steel wire composition, connecting plate material thickness 0.8 mm. The bottom moving wheel adopts the high strength medical universal brake wheel.

Size:122*70*181cm

(Size can be customized)

Stainless steel injection cage

Specifications and Parameters

Small size:700*360*500

Large size:970*420*680

Extra-large size:1200*460*780

(Size can be customized)



MATERIAL DESCRIPTION:

Overall 304 stainless steel material, anti-corrosion, anti-acid does not rust, safe operation, solid material, durable.

Full-function animal medical monitoring module (ICU)



- Main features:
1. Temperature control, constant temperature.
 2. Oxygen Control, Constant Oxygen
 3. Carbon Dioxide Monitoring
 4. Humidity monitoring method
 5. ANION PURIFICATION
 6. UV Sterilization
 7. AEROSOLIZED TREATMENT
 8. Blue light therapy

Outer Size: 140*86*190cm Installation Dimensions: 153*95*198cm

(Size can be customized)

Four fancy cat cages

Specifications and Parameters

150*65*176.5cm

(Size can be customized)



MATERIAL DESCRIPTION:

Overall 304 stainless steel material, anti-corrosion, anti-acid does not rust, safe operation, solid material, durable.



02 Pet Grooming Products



LED electric lifting beauty table

Size:120*60cm

Lifting Height:30-120cm

Desktop uses LED light source with grinding, explosion-proof toughened glass, moisture-proof and thicker laminates, stainless steel metal frame edge wrapping, effective protection against desktop fragmentation, the use of advanced remote control linear motor lifting and lowering range, can meet the requirements of various pet beauty.



Pneumatic lifting beauty table

Size:Desktop diameter70cm

Lifting Height:70-100cm

The table can be rotated at 360 degrees, with a variety of sizes and colors. The table is round and square.

Beauty table adopts imported anti-skid rubber veneer, high strength wire-drawing aluminium bars, and advanced pneumatic lifting pump. The table has the characteristics of moisture-proof, anti-corrosion, anti-skid and non-easy to break. The lifting and lowering of the beauty table is stable and suitable for all kinds of pet beauticians.



02 Pet Grooming Products



Hydraulic foot lifting beauty round table



Size: Diameter of the round table 70cm

Lifting Height: 70-90cm



黑色 蓝色 粉色 绿色 紫色

The table can be rotated at 360 degrees, with a variety of sizes and colors. The table is round and square.

Hydraulic beauty table adopts imported anti-skid rubber veneer, high-strength wire-drawing aluminum bars, edge-wrapped, advanced hydraulic pump. The table has the characteristics of moisture-proof, anti-corrosion, anti-skid and not easy to break. The beauty table is stable and suitable for all kinds of pet beauticians to operate.

Hydraulic lifting beauty table

Diameter of the round table 70cm



黑色 蓝色 粉色 绿色 紫色

Hydraulic beauty table adopts imported anti-skid rubber veneer, high-strength wire-drawing aluminum bars, edge-wrapped, advanced hydraulic pump. The table has the characteristics of moisture-proof, anti-corrosion, anti-skid and not easy to break. The beauty table is stable and suitable for all kinds of pet beauticians to operate.



Z type hydraulic lifting beauty table



Size: 108*60(57-92)cm

Diameter of the round table 70cm



黑色 蓝色 粉色 绿色 紫色

Hydraulic beauty table adopts imported anti-skid rubber veneer, high-strength wire-drawing aluminum bars, edge-wrapped, advanced hydraulic pump. The table has the characteristics of moisture-proof, anti-corrosion, anti-skid and not easy to break. The beauty table is stable and suitable for all kinds of pet beauticians to operate.

Hydraulic lifting beauty table

Square Tabletop Dimensions: 80*50cm

Lifting Height: 75-85cm



黑色 蓝色 粉色 绿色 紫色

Hydraulic beauty table adopts imported anti-skid rubber veneer, high-strength wire-drawing aluminum bars, edge-wrapped, advanced hydraulic pump. The table has the characteristics of moisture-proof, anti-corrosion, anti-skid and not easy to break. The beauty table is stable and suitable for all kinds of pet beauticians to operate.



02 Pet Grooming Products



Hydraulic lifting beauty table

Diameter of the round table 70cm



黑色 蓝色 粉色 绿色

The table can be rotated at 360 degrees, with a variety of sizes and colors. The table is round and square.

Hydraulic beauty table adopts imported anti-skid rubber veneer, high-strength wire-drawing aluminum bars, edge-wrapped, advanced hydraulic pump. The table has the characteristics of moisture-proof, anti-corrosion, anti-skid and not easy to break. The beauty table is stable and suitable for all kinds of pet beauticians to operate.

Longmen beauty table

Medium-sized gantry frame dimensions: 90*60*76cm

Large gantry frame dimensions: 117*60*76cm



黑色 蓝色 粉色 绿色 紫色

The table top bracket is made of stainless steel. The whole table can bear 150 kg. The metal spray net under the table is designed with inverted structure. It can bear 10 kg. It is convenient to disassemble and assemble. The table top is made of anti-skid rubber and wrapped with alloy material. The service life is prolonged effectively.



Hydraulic lifting beauty table

Square Tabletop Dimensions: 90*60*(72-84)cm



黑色 蓝色 粉色 绿色 紫色

The table can be rotated at 360 degrees, with a variety of sizes and colors. The table is round and square.

Hydraulic beauty table adopts imported anti-skid rubber veneer, high-strength wire-drawing aluminum bars, edge-wrapped, advanced hydraulic pump. The table has the characteristics of moisture-proof, anti-corrosion, anti-skid and not easy to break. The beauty table is stable and suitable for all kinds of pet beauticians to operate.

Simple beauty table

Medium size: 90*60*76cm



黑色 蓝色 粉色 绿色 紫色

The table top bracket is made of stainless steel. The whole table can bear 150 kg. The metal spray net under the table is designed with inverted structure. It can bear 10 kg. It is convenient to disassemble and assemble. The table top is made of anti-skid rubber and wrapped with alloy material. The service life is prolonged effectively.



02 Pet Grooming Products



Simplified clarinet beauty table

Small size:78*48*76cm

Plus size:91*61*76



Desktop bracket is made of stainless steel. The whole table can bear 150 kg. Desktop is covered with anti-skid rubber and alloy material, which effectively prolongs service life.

Simplified clarinet beauty table

Small size:81*48.5*80cm

Medium size:90*60*80cm



Desktop bracket is made of stainless steel. The whole table can bear 150 kg. Desktop is covered with anti-skid rubber and alloy material, which effectively prolongs service life.



Simple square tube beauty table

Small size:81*48*80cm

Medium size:90*60*76cm

Plus size:100*60*76cm



Desktop bracket is made of stainless steel. The whole table can bear 150 kg. Desktop is covered with anti-skid rubber and alloy material, which effectively prolongs service life.

Simple round tube beauty table

Small size:81*48*80cm

Medium size:90*60*76cm

Plus size:100*60*76cm



The table top bracket is made of stainless steel. The whole table can bear 150 kg. The metal spray net under the table is designed with inverted structure. It can bear 10 kg. It is convenient to disassemble and assemble. The table top is made of anti-skid rubber and wrapped with alloy material. The service life is prolonged effectively.



02 Pet Grooming Products



Electric lift beauty table



The tabletop is made of 1.8 cm density anti-skid and anti-static rubber. The table top is protected by a rectangular iron frame with stainless steel suspenders and an iron spray frame.

Parameter Specifications:

Product dimensions 126*66*(20-95)cm

Wireless remote control electric lift luminous beauty table



Toughened frosted glass table board, table top with four sockets, can use single motor hair dryer, electric shears, incense machine and so on at the same time, wireless remote control lifting range of 6 meters can be controlled; double binding steel wire hanging rope, folding fixed boom, waterproof spray hair dryer bracket, light-emitting table, aluminum alloy oxidation vertical medical lifting column, figure-eight fixed base.

Parameter Specifications:

Product dimensions 115*65*(52-100)cm

Electric lift beauty table



The table top is made of pagoda-type anti-slip and anti-static rubber skin, and the base of the thickened moisture-proof panel is made of slanted metal structure combined with electrostatic spraying

Parameter Specifications:

Product dimensions 126*66*(20-95)cm

Pet Competition table



The tabletop is made of 1.8 cm density anti-skid and anti-static rubber. Stainless steel boom. Stainless steel bracket

Parameter Specifications:

Product dimensions 60*45*73/83cm



02 Pet Grooming Products



Blowing machine bracket



Lifting Height:92-122cm

The movable bracket of water blower is adjustable in height and rotatable. The bracket is equipped with outlet socket, the lifting part is equipped with elastic retarder, and the bottom is equipped with universal wheel. It can move freely, lock, waterproof and rust-proof. The structure of the bracket is reasonable, stable and durable.

Double motor blowing machine



黄色 粉色



The speed governing double motor blowing machine adopts high quality metal shell with adjustable speed and adjustable temperature. Power 2400~3600W, voltage 110V~240V, wind speed <78.85m/s, heating temperature up to <75 degrees. Power plug can match the global standards, with about 3 meters long telescopic hose and three new outlets, can quickly dry pet hair.

Double motor blowing machine



黄色 粉色



Speed-regulating dual-motor water blower, with high-quality metal shell, has infinitely adjustable wind speed and 3-speed adjustable temperature. Power 2400~3600W, voltage 110V~240V, wind speed <78.85m/s, heating temperature up to <75 degrees. Power plug can match the global standards, with about 3 meters long telescopic hose and three new outlets, can quickly dry pet hair.

Single motor blowing machine



蓝色 绿色 粉色



With metal shell, heating function and automatic telescopic hose, the maximum power can reach 2200W, the maximum wind speed can reach 48m/s, the maximum heating temperature can reach 55 °C, and the pet hair can be quickly dried.



02 Pet Grooming Products



Brushless Dc Water Blower



Wind speed:40-65m/s
Voltage:110-240v
Power:700w
(The actual performance is equivalent to that of a standard 2800W hair dryer.)

Specifications:
Inner box dimensions68*27*33cm

American original imported electric motor water blower

Wind speed:95-110m/s
Voltage:220v
Power:2300w

Specifications:
Inner box dimensions47*23*30cm



New Pet Lcd blower



Wind speed:38-60m/s
Voltage:220v(Can operate on 110V)
Power:2800w
Noise: 60db
Temperature: 40-60°C

Specifications:
Inner box dimensions47*23*23cm

Pet negative ion mute water blower

Wind speed:25-65m/s
Voltage:220v(Can operate on 110V)
Power:2800w
Temperature: 40-60°C

Specifications:
Inner box dimensions40*24*26cm



02 Pet Grooming Products



Single motor blowing machine



Voltage: 220V 50-60HZ
Power: 2200W
Wind speed: 25m/s-50m/s
Weight: net weight 4 kg, gross weight 5 kg
Packaging Accessories: Host + Hose + Blower

Pet hair raising machine



Pet hair dryer, pink and white two for your choice. Pet beauty care is essential, after bathing, the shape of a higher grade. Hair-pulling machine is especially suitable for long-haired dog's blow-drying model, which achieves the effect of fluffy, natural and full, no hair damage, strong and stable support, with flexible and solid universal casters, free and flexible movement, hair dryer head and air outlet can rotate 360 degrees, freeing the beautician's hands, easy removal, cleaning and easy to filter mesh. Maintenance.

Pet suction machine



Double filtration design for pet hair can comb watery hair, special pet hair brush head, 4 kinds of brush head combination, can replace household use.

Single motor blowing machine



Power: 110V-220V
Rated power: 3400W
Size: 52*39*33.5cm
Stent height: 80-150 cm
Wind speed: 30m/s-85m/s
Scope of application: Medium and large pets



02 Pet Grooming Products



A new type of pet LCD crane-type hair-pulling machine



Wind speed:38-60m/s
Voltage:220v(Can operate on 110V.)
Power:2800w
Noise:60db
Temperature:40-60°C

Specifications:
Inner box dimensions47*23*23cm

New pet crane type hair puller



Wind speed:38-60m/s
Voltage:220v(Can operate on 110V.)
Power:2800w
Noise:60db
Temperature:40-60°C

Specifications:
Inner box dimensions47*23*23cm

New Pet LCD stand-type hair-pulling machine



Wind speed:38-60m/s
Voltage:220v(Can operate on 110V.)
Power:2800w
Noise:60db
Temperature:40-60°C

Specifications:
Inner box dimensions47*23*23cm

Pet Vertical Puller



Wind speed:40-60m/s
Voltage:220v(Can operate on 110V.)
Power:2800w
Noise:60db
Temperature:40-60°C

Specifications:
Inner box dimensions47*23*23cm



02 Pet Grooming Products



Pet Dryer



- 1, applicable dog species: cat, Teddy and other small pets;
- 2, temperature range: 0-45 ° C;
- 3, automatic 360 degree rotating air outlet: 2;
- 4, Controller: Button Control Simple and convenient
- 5, the number of fans: 2;
- 6, function: Negative Ion, ozone sterilization;
- 7, Power: 2000w (with 2.5 mm wire, 10a socket) ;
- 8, Voltage: 220v/50HZ; 9, 4 Sides Air (left, right and lower) ;

Specifications and Parameters

Outer diameter:47*53*63cm

Inner diameter:40*40*40cm

Pet Dryer



- 1, applicable dog species: Golden Retriever, Alaska and other large pets;
- 2, temperature range: 0-45 ° C;
- 3, automatic 360 degree rotating air outlet: 26;
- 4, Controller: 5-inch touch screen PLC intelligent temperature control;
- 5, the number of Fans: 10;
- 6, function: Negative Ion, ozone sterilization, infrared physiotherapy lamp;
- 7, Power: 5800w (with 4mm wire, 16a socket)
- 8, Voltage: 220v/50HZ;
- 9, 5 surface air (left, up and down) ;

Specifications and Parameters

Outer diameter:136*70*110

Inner diameter:120*60*80

Pet Dryer



1. Suitable dog breed: 1 small dog or cat weighing less than 5KG, 2 or 2 motors, 5 sides of the wind, for cats under 15kg; FUNCTIONS: Air Bath, dust collection system, air conditioning, negative ion bath, low power consumption, ultra low noise, aromatherapy, infrared physical therapy, oxygen manufacturing, bottom air 10 functions; 4, Power: 1150W; 5, Voltage: 200-240V 50/60HZ;

Specifications and Parameters

Outer diameter(Includes wheels):50*50*73cm

Inner diameter:47.8*47.8*42.5cm

Cat Oven



- Power Supply: AC220V 50/60HZ;
 Maximum Air Volume: 4.0/3220cmm/RPM;
 Working Temperature: 43 ° C;
 Capacity: 100L

Specifications and Parameters

Outer diameter:50*50*86cm



02 Pet Grooming Products



Pet Dryer



Recommended for medium-sized dogs; permanent magnet DC Motor, PWM power supply; LED display speed, distance, time, remote control and manual operation; Safety Emergency Stop Switch; music playing function, refueling device, with remote control; Voltage 220V 56-60Hz; Input Power: 1100W, speed range: 1.0-10k m/h;

Specifications and Parameters

Usable Area:140*40cm
Land Area:173*57*98cm

SPA treadmill

10.1-inch LCD touch screen; Internet access, android operating system; support for video and audio; Mp3/usb Port; touch function for On/off, up/down speed operation; time, speed, distance display, accumulative function; input power voltage: 220V ± 10% (50HZ or 60HZ) ; Working Environment Temperature: 0-30 ° C; Continuous Input Power: AC Frequency Conversion Motor 1500W, heater 5500W, water pump 320W; running speed range: 1.0-10km/h ± 5% ; time display range: 00:00-99.59 Min: s;

Specifications and Parameters

Product Size:182*75.5*97cm
/201*77*123cm



Pet Dryer



Recommended for large dogs; AC motor, AC frequency converter; LED display speed, distance, time, remote control, manual two modes of operation; Safety Emergency Stop Switch; equipped with remote control; input voltage: 220V 50Hz-60Hz input power: 1500w; Speed Range: 1.0-16km/h;

Specifications and Parameters

Usable Area:170*46cm
Land Area:200*62cm

Pet Dryer

Recommended for Small and medium-sized dogs; permanent magnet DC Motor, PWM power supply; LED display speed, distance, time, remote control and manual operation; Safety Emergency Stop Switch; music, playback function, refueling device, equipped with remote control; Voltage 220V 56-60Hz; input, power: 1100W; Speed Range: 1.0-10km/h;

Specifications and Parameters

Usable Area:120*40cm
Land Area:152*57*64cm



03 Pet Surgical Table



Stainless steel pet operating table (Standard Version)

Size:130*60*(45-100)cm

Operating table is made of high quality 304 stainless steel, equipped with stainless steel movable mesh. It can be selected with flat mesh and arc mesh. It adopts diagonal support for lifting, lifting smoothly and locking firmly. It is equipped with touch lifting switch. It is easy to operate and the whole equipment will never rust.

The whole stainless steel is corrosion resistant, acid proof, rusty, durable, stable and easy to operate.



Stainless steel unilateral tilt table

Size:130*60*(45-100)cm

Operating table is made of high quality 304 stainless steel, equipped with stainless steel movable mesh. It can be selected with flat mesh and arc mesh. It adopts diagonal support for lifting, lifting smoothly and locking firmly. It is equipped with touch lifting switch. It is easy to operate and the whole equipment will never rust.

The whole stainless steel is corrosion resistant, acid proof, rusty, durable, stable and easy to operate.



03 Pet Surgical Table



Stainless steel pet operating table (thermostat)



Size:130*60*(45-100)cm

All stainless steel V-type thermostat operating table temperature between 0-60 degrees, automatic thermostat function, can adjust the required temperature at will, equipped with leakage protector, high temperature protector, safe use, table surface is made of high-quality 304 stainless steel, equipped with stainless steel movable mesh, can choose flat mesh and arc mesh, using oblique support lifting bracket, lifting. Stable, lock firmly, with touch type lifting switch, easy to operate, the whole equipment will never rust.

The whole stainless steel is corrosion resistant, acid proof, rusty, durable, stable and easy to operate.

Constant temperature stainless steel operating table

Size:140*65(76-106)cm

The main body of the operating table is made of 304 stainless steel, with high precision temperature control, durability, stable rise and fall, easy operation, temperature safety protection, simple and convenient rope clipping, and easy cleaning of pumping tank. The temperature range of the worktable is between 0-60 degrees, and the function of automatic thermostat can adjust the required temperature at will.



Stainless steel thermostatic bidirectional tilt lifting operation table



Size:150*60*(76-105)cm

The table is made of high quality 304 stainless steel, with stainless steel movable mesh, simple and firm, convenient and practical. Stainless steel constant temperature two-way tilt operation table temperature between 0 - 60 degrees, automatic constant temperature function, can adjust the required temperature at will, built-in high temperature protector, safe and reliable.

The whole stainless steel is corrosion resistant, acid proof, rusty, durable, stable and easy to operate.

Electric lifting console

Size:140*60*(58-116)cm

The main body of the operating table is made of 304 stainless steel, with high precision temperature control, durability, stable rise and fall, easy operation, temperature safety protection, simple and convenient rope clipping, and easy cleaning of pumping tank.



03 Pet Surgical Table



Electric lifting console

Size:140*60* (54-112)cm

The main body of the operation table is made of 304 stainless steel material, with high precision temperature control, strong and durable, stable lifting. Equipped with stainless steel movable mesh, simple and firm, convenient and practical.

Simple pet operating table

Size:120*60*80cm

The whole stainless steel is corrosion resistant, acid proof, rusty, durable and easy to operate.



Hydraulic operating table for foot stepping

Size:140*60* (54-112)cm

The main body of the operating table is made of 304 stainless steel, which is durable, stable in lifting, easy to operate, safe in temperature, easy to fasten and easy to clean.

The whole stainless steel is corrosion resistant, acid proof, rusty, durable, stable and easy to operate.



Multifunctional disposal station

Size:140*60*88cm

The multi-functional pet disposal table is made of round corners without dead corners. It is convenient to clean up, and the leaking water will not be blocked by stainless steel wool. Equipped with stainless steel pull faucet, 2 water outlet modes are easy to use. It can be washed at high and low distance, and the drawer drawer slide adopts stainless steel thick guide rail. With a cupboard and three drawers.



03 Pet Surgical Table



Multifunctional electric lifting and handling platform




Size:120*60*(75-105)cm

1. The table is made up of square pipe bracket, removable pallet and removable mesh, which is clean in aspect.
2. The height of disposal table is controlled by electric pedal, which is convenient to use.
3. The stainless steel filter wool will not block the leaking water.
4. Can be used with pets to wash teeth, trauma treatment, medical treatment, etc.

Multifunctional electric lifting diagnosis and treatment table

Size:90*50*(75-105)cm

1. The treatment of concave corner fillet is convenient and sanitary.
2. The height of the lifting table is controlled by electric pedal.
3. Can be used for pet diagnosis, trauma treatment and admission.



Stainless steel pet B-ultrasound stand



Size:110*55*70cm

The special stainless steel pet B-mode ultrasonograph for animal B-mode ultrasonograph is designed according to the practical application needs, which is more in line with the actual practical scene. The edge treatment is rounded, the size is customized, and the universal brake wheel is equipped to facilitate movement.

Column weighing diagnosis and treatment table

Size:90*50*80cm

1. the treatment of concave corner fillet is convenient and sanitary.
2. equipped with high-precision electronic weighing core.
3. can be used with pet diagnosis and treatment, trauma treatment, reception, weighing and so on.



03 Pet Surgical Table



Stainless steel new column diagnosis and treatment table



Small size:90*50*80cm

Plus size:110*60*80cm

304 stainless steel material, flat table, polished decoration around, with a binding bracket at the bottom, with fine-tuning feet under the aggravated base

Pet clinic

Size:140*65*85cm

The pet clinic table is designed with concave rounded corners, which is convenient for cleaning and sanitation. It is equipped with a water outlet. It can be used for pet teeth washing, with built-in towel rack and garbage bin. Stainless steel thick guide rail is adopted in the drawer slide rail of the cabinet.

Easy to use, clean and hygienic, hospital essential.



Cage table



Size:80*50*80cm


The top of the cage is made of 304 stainless steel cover, surrounded by stainless steel bars, which is not easy to deform. The desktop is about 4 cm wider than the cage. It is easy to operate as a diagnostic table and can be produced on demand.

Stainless steel acrylic surface stretcher for pets

Size:136*60*85cm

Mesa leveling acrylic board, column 304 stainless steel not rust, mute mobile brake wheel! The table can be detachable, and can be pushed and lifted.

The whole 304 stainless steel material is anti-corrosion, acid-proof and rust-proof. The movable table of the movable pulley is equipped with the movable brake wheel.



03 Pet Surgical Table



Stainless Steel all-electric v-type thermostatic operating table



Material description: high-precision temperature control, solid material, solid and durable, stable rise and fall, easy to operate, temperature safety protection, easy to clip rope buckle, easy to clean the pull trough. The main body of the operating table is made of 304 stainless steel material, which is convenient and practical, high strength lifter, national standard no, stainless steel 304 material anti-corrosion, anti-acid and no rust, with electric lifter, the performance is more stable.

Specifications and Parameters:

140* 65*(76-106) cm

C-arm table

Material Description: the main body of the operating table is made of 304 stainless steel, the table surface is made of acrylic, convenient and practical, high strength lifter, national standard stainless steel 304 anti-corrosion, acid-proof and rust-free, with electric lifter, the performance is more stable.

Specifications and Parameters:

150*60*(76-105)cm



Z -type stainless steel all-electric v-type table with constant temperature operating table



1 integral height lifting motor,
2 integral left-right Tilt Motor,
3 4 two operating boards inside tilt motor,
5 hand-held Controller, control integral lifting tilt,
6 high temperature safety protector,
7 constant temperature operator.

Specifications and Parameters:

140*66*(62-100)cm

Stainless steel pet weighing table


Material description: the whole 304 stainless steel material, anti-corrosion, anti-acid rust, weighing diagnosis and treatment, a multi-purpose, convenient health.

Specifications and Parameters:

100*55*80cm



04 Auxiliary Medical Supplies for Pets



Multi layer equipment with socket for carrying cart

Size:60*65*159.5cm

Self contained socket, easy to use. The equipment is large and durable. Pet hospital is necessary.

The main body is made of 304 stainless steel. The socket is protected from leakage by electricity and is safe to use. Optional universal brake wheel or fixed adjusting foot at the bottom.



Stainless steel multilayer equipment cart

Size:54.5*45.5*115cm

The equipment is large and durable. Pet hospital is necessary.

The main body is made of 304 stainless steel, and the universal brake wheel or fixed adjusting foot at the bottom.



04 Auxiliary Medical Supplies for Pets



Three tier incremental loading trolley

Size:55*55*150cm

Easy to use, large space and durable equipment.

The main body is made of 304 stainless steel, and the universal brake wheel or fixed adjusting foot at the bottom.

Simple infusion table for stainless steel

Small size:90*50*80cm

Large size:110*60*80cm

All 304 stainless steel fabricated, mesa thickness 1.2 mm, lower layer thickness 1.0 mm, column 30*30, square tube thickness 1.2 mm, mesa with railings, mobile infusion stand easy to use, optional brake wheel or adjusting foot.



Multifunctional simple operation trolley

Size:137*60*78cm

It is made of 304 stainless steel with 1.2 mm mesa thickness, 22*22 column and 1.2 mm square pipe thickness. It is equipped with movable infusion frame, movable mesh and movable railings for easy use. Brake wheels or adjusting feet are optional.

Stainless steel acrylic baffle infusion table

Small size:90*50*80cm

Large size:110*55*80cm

The 304 stainless steel material is made of high strength acrylic baffles on both sides, which can be arranged in a row, clean and sanitary, beautiful and generous.



04 Auxiliary Medical Supplies for Pets



Stainless steel glass baffle infusion table

Small size:90*50*85cm
Large size:110*60*85cm

All 304 stainless steel, frame 25*25 square pipe thickness 1.2mm with movable mesh and movable contamination plate, railings can be easily lowered, with movable tempered glass on both sides.

Stainless steel animal anatomy table

Small size:110*55*80cm
Large size:160*65*80cm

All stainless steel 304 material, concave table design, equipped with stainless steel flushing pool and double flushing faucet for easy use, in order to ensure the brightness requirements, with high brightness lights, while equipped with a movable tray, easy to place surgical instruments, practical.



Stainless steel movable railings infusion table

Small size:90*55*78cm
Large size:110*60*78cm

It is made of 304 stainless steel with 1.2 mm mesa thickness and 1.2 mm square pipe thickness of 22*22 pillar. It is equipped with a movable infusion stand. The movable rail is easy to use. Under it, brake wheel or adjusting foot can be selected.

Simple auxiliary table for stainless steel

Size:65*43*80cm

Pet hospital special auxiliary desk, simple structure, convenient and easy use.



04 Auxiliary Medical Supplies for Pets



Stainless steel pet surgery auxiliary vehicle



Size:70*45*80cm

Equipped with universal brake wheels, mesa, fences, drawers, multi-faceted display.

The whole 304 stainless steel material is corrosion resistant, acid proof and rusty. It is convenient, easy to use, safe and hygienic, and can be customized.

Stainless steel pet binding rack



Small size:60*45*80cm

Large size:80*50*80cm

Stainless steel 304 square tube is used as the framework. The laminate is made of 304 stainless steel plate with thickness of 1.0 mm. The pet is fixed with movable cotton mesh so as not to be harmed.

Stainless steel lifting operation auxiliary table



Size:80*50*(85-140)cm

The lifting function and the rolling universal brake wheel are simple, practical and not rusty.

The whole 304 stainless steel is corrosion resistant and acid proof.

Stainless steel sink flume



Size:62*50*80cm

Designed for washing trays in hospitalized cages, the pet cage trays can be washed conveniently and quickly by putting them into the sink. Improve work efficiency and quality. It is also equipped with a high-pressure flushing gun for easy use.



04 Auxiliary Medical Supplies for Pets



Hospital cage washing basin

Size:62*50*80cm

Designed for washing trays in hospitalized cages, the pet cage trays can be washed conveniently and quickly by putting them into the sink. Improve work efficiency and quality. It is also equipped with a high-pressure flushing gun for easy use.

The whole 304 stainless steel is corrosion resistant and acid proof.

Stainless steel medical hand washing basin

Size:120*60*180cm

Fully automatic medical stainless steel disinfection hand washing pool is made of 304 stainless steel. It is equipped with fully automatic induction water tap and induction cleaner extrusion box. It is convenient, safe and hygienic.



Stainless steel mop pool

Size:62*50*80/110cm

The whole 304 stainless steel is made durable, no rust, and three sides to prevent water from splashing. Full fillet design, easy to clean, filter wool and water to prevent clogging.

The whole 304 stainless steel is corrosion resistant and acid proof.

Stainless steel trash

Size:59*59*90cm

Made of all 304 stainless steel, detachable top cover.

The whole 304 stainless steel is corrosion resistant and acid proof.



05 Pet Bathtub



Stainless steel pet bath without bath

Size:130*74*(90/130)cm

(Size can be customized)

All stainless steel production, the overall use of 1.2 mm 304 stainless steel production, with anti-skid foot mat, choose 3 inch anti-blocking water, and equipped with multi-functional high-pressure flushing faucet and adjustable hot and cold water control faucet, this sink is particularly suitable for pet beauty shops of all sizes to bathe for pets.



Stainless steel pet door sliding bath

Size:130*74*(90/130)cm

(Size can be customized)

All stainless steel production, the overall use of 1.2 mm 304 stainless steel production, with anti-skid foot mat, choose 3 inch anti-blocking water, and equipped with multi-functional high-pressure flushing faucet and adjustable hot and cold water control faucet, this sink is particularly suitable for pet beauty shops of all sizes to bathe for pets.



05 Pet Bathtub



Stainless steel pet belt drier pedal shift door sink

Size:130*74*(90/130)cm
(Size can be customized)

All stainless steel production, the overall use of 1.2 mm 304 stainless steel production, with anti-skid foot mat, choose 3 inch anti-blocking water, and equipped with multi-functional high-pressure flushing faucet and adjustable hot and cold water control faucet, this sink is particularly suitable for pet beauty shops of all sizes to bathe for pets.

Electric lift pet bath

Size:130*74*(117-160)cm

All stainless steel production, the overall use of 1.2 mm 304 stainless steel production, equipped with electric lifting switch automatic adjustment, and equipped with multi-functional high-pressure flushing faucet and adjustable hot and cold water control faucet, this sink is particularly suitable for pet beauty shops of all sizes to bathe for pets.



Stainless steel surf flume

Small Size:90*74*90/130cm
Medium Size:110*74*90/130cm
Large Size:130*74*90/130cm
(Size can be customized)

The stainless steel bathtub with SPA function is equipped with regulation and control twisting, which can be used for operators to control the flow of bubbles. The auxiliary hot air function helps maintain the original water temperature. The bathtub is well sealed and can be used for pet bath.

Electric lifting pet bath flume

Size:127*67*(136.5-170)cm

The whole body is made of 304 stainless steel, equipped with anti-skid foot mat, adjustable hot and cold water control faucet, this sink is especially suitable for pet beauty shops of all sizes to bathe pets.



05 Pet Bathtub



Stainless steel special bath bath for pets



Size:127*72*149cm

Full open door stainless steel series, suitable for shower. Under the door, the baffle can prevent leakage. Over the cylinder block, there are three splash-proof baffles. The pipe interface of the water blower is provided for easy operation.

Stainless steel pet bath

Size:120*70*115cm

The whole body is made of 304 stainless steel, equipped with anti-skid foot-stepping mat. This sink is especially suitable for pet beauty shops of all sizes to bathe pets.



Electric lift pet bath



Size:130*74*(117-160)cm

Sliding door type stainless steel series, suitable for shower. The front baffle is waterproof and equipped with movable pedals for pets access. The bottom is equipped with trimming screws for height adjustment.

Stainless steel pet bath

Small Size:80*70*115cm

Medium Size:100*70*115cm

Large Size:120*70*115cm

The whole body is made of 304 stainless steel, equipped with anti-skid foot-stepping mat. This sink is especially suitable for pet beauty shops of all sizes to bathe pets.



06 Pet Medical Equipment



Movable integral reflex shadowless lamp for surgery

Technical Specifications:

Illumination Level (Adjustable)	35,000–160,000Lux
Average lifespan of a light bulb	≥ 1500h
Color Temperature	4500K ± 250K
Display Index	≥ 97%
Focus Depth (Adjustable)	50–180cm
Spot Diameter (Adjustable)	160–280mm
Brightness Adjustment	Ten-level continuous adjustment
Power Consumption	150W
The surgeon's head experiences an increase in temperature.	< 2℃
Automatic Switching Between Main and Auxiliary Lights	< 0.2s
Power Supply Voltage	AC100–240V 50/60HZ



Vertical LED shadowless lamp

Technical Specifications:

Illumination Level (Adjustable)	30,000–160,000Lux
Number of Light Bulbs	48 pieces
Type of Light Bulb	LED
Average lifespan of a light bulb	≥ 80,000h
Color Temperature (Adjustable)	3700K ~ 5000K
Display Index (Adjustable)	85 ~ 98
Focus on Depth	50–180cm
Spot Diameter	160–280mm
Brightness Adjustment	1%–100%
Power Consumption	48W
The surgeon's head experiences an increase in temperature.	< 1℃
Power Supply Voltage	AC100–240V 50/60HZ



06 Pet Medical Equipment



Medical sterilization lamp



Spot Diameter	160–280mm
Focus on Depth	≥ 1200mm
Brightness Adjustment	Ten-level continuous dimming
Lifespan of the light bulb	≥ 1500h
Bulb Wattage	150W
Automatic Switching Between Main and Auxiliary Lights	<0.2秒
Power Supply	AC100~240V 50/60Hz

Single arm surgical tower

The single arm surgical tower, with simple and compact structure and convenient use, is the most ideal medical gas power supply, network terminal and instrument bearing workstation in the operating room. The installation adopts ceiling suspension, which is reasonably designed and can rotate within 340 degrees. The tower position can be easily moved according to the requirements of medical staff. The height of the equipment enables medical staff to reach and be handy.



Medical hanging sterilization lamp



Spot Diameter	160–280mm
Focus on Depth	≥ 1200mm
Brightness Adjustment	Ten-level continuous dimming
Lifespan of the light bulb	≥ 1500h
Bulb Wattage	150W
Automatic Switching Between Main and Auxiliary Lights	<0.2秒
Power Supply	AC100~240V 50/60Hz

Single-arm revolving mirror suspension tower

- Main parameters:
1. Horizontal rotation angle: 0–340 degrees
 2. Maximum load-bearing capacity on terminal box: 80kg
 3. Standard gas supply: 2 oxygen and 2 attraction
 4. Standard power supply: 8 sockets with 3 holes
 5. Equipment pallets: 3
 6. Platform Specification: 400x550mm
 7. Infusion pole frame: one set



06 Pet Medical Equipment



100 mA Special DR for Pets



1. 17*17 inch unshielded whole-plate amorphous silicon flat panel detector.
2. High precision, high contrast, high resolution, clear image and rich layers.
3. Fast image storage, browsing, query, printing and transmission functions.
4. Small size and flexible operation.

Infusion pump

Applicable infusion device: This machine is only suitable for special or high quality PVC infusion device with 20 drops of 1ml (external diameter: 3.4-4.5)
Pump type: finger peristaltic pump
Control mode: capacity type
Maximum infusion rate: 999.9 ml/h or 333.3 drops/min



200 mA Special DR for Pets



1. 17*17 inch unshielded whole-plate amorphous silicon flat panel detector.
2. High precision, high contrast, high resolution, clear image and rich layers.
3. Double filament and double focus ball hall design technology, double heat dissipation, can meet high load Requirements for work and fine photography.
4. Fast image storage, browsing, query, printing and transmission functions.
5. Four-way floating photographic bed is used to facilitate positioning shooting.

Liquid crystal infusion pump

Liquid crystal infusion pump is a kind of medical automatic infusion device. It uses computer technology to control the infusion process comprehensively, and uses finger peristaltic pump as power source, with a variety of sensors to monitor the key position and carry out high-precision infusion. The product features compact structure, reliable performance and beautiful appearance.



06 Pet Medical Equipment



Tertiary vacuum sterilizer

Product Description:

1. Digital display, suitable for laboratory sterilization of instruments.
2. Safety valve, manual door lock, fault self-check, overtemperature and overpressure protection.
3. It has a full water alarm system for wastewater tank.
4. Clear digital display, perfect fault detection and alarm system.
5. Door interlocking protection, pressure in the chamber, door can not be opened, safe to use.
6. Built-in printer to record disinfection process.

Monitor

Product configuration:

1. Standard parameters: ECG, heart rate, respiration, blood oxygen, pulse rate, non-invasive blood pressure, body temperature;
2. Optional parameters: end-of-breath carbon dioxide, invasive blood pressure;
3. Optional configuration: touch screen, built-in recorder, monitor bracket trolley or wall frame.



Electrically Heated Vertical Steam Sterilizer

Vertical steam sterilizer is equipped with digital automatic control program, including electric heater, safety valve, exhaust valve, pressure and temperature indicator, sterilization end alarm and automatic cut off heating power supply. The container has the advantages of reliable disinfection and sterilization effect, convenient operation, safe use, power saving, durability and good price. It is an ideal equipment for disinfection and sterilization of surgical instruments, dressings, utensils and culture media in medical and health and scientific research units.

Monitor

Product characteristics:

- 7 inch high-resolution color TFT LCD display.
- various interfaces: standard screen, trend screen, OxyCRG screen
- NIBP list screen
- Real-time S-T segment analysis, pace-maker detection
- Indication of incorrect manipulation and malfunction analysis
- Capture 2-hour dynamic trend
- Up to 400 groups of NIBP list, 6000 seconds ECG waveform recall, 60 alarm event records recall, 7-day trend chart in storage
- Built-in rechargeable lithium battery, 5-hour working capability
- Central monitoring system





Shandong ClearSight International Trade Co.,Ltd



Sincerely looking forward to cooperating with you

07 Successful Case >>>>>

Hongtai Pet Hospital



07 Successful Case



Barbie Hall International Animal Medical Center



Pudong Animal Medical Center



07 Successful Case



Hanghou Pet Clinic



1. Products & Customization

What products do you offer?

We have two main product lines:

Pet Products: Including pet grooming tables (hydraulic, Z-type, portable), cages, carriers, oxygen chamber cages, toys, apparel, and feeding accessories.

Medical Equipment: Including LED surgical shadowless lamps (ceiling-mounted and vertical), surgical operating tables, and other medical devices.

B2: Can you produce products according to our designs and specifications?

Absolutely. We offer comprehensive OEM (Original Equipment Manufacturing) and ODM (Original Design Manufacturing) services. We can customize products based on your samples, technical drawings, or specifications, including private labeling and custom packaging.

B3: Can I get samples?

Yes, samples are available for quality checking. Sample costs and freight charges are typically borne by the buyer. However, the sample cost can often be deducted from the payment for a subsequent bulk order.

